Source of Glucosamine HCL, Chondroitin Sulfate, MSM, Devil's Claw, Collagen, Boswellia, Silica, Yucca, Vitamin C and Hyaluronic Acid



#### **Product Facts**

### Active Ingredients (per six ounce/170g dose)

Glucosamine HCL (Shellfish Source)	8,000 mg
Methylsulfonylmethane (MSM)	10,000 mg
Vitamin C	. 2,500 mg
Chondroitin Sulfate (Porcine Source)	2,000 mg
Devil's Claw	1,500 mg
Hydrolyzed Collagen (Porcine Source)	1,000 mg
Boswellia Extract	. 1,000 mg
Yucca Extract	500 mg
Silica	500 mg
Hyaluronic Acid	100 ma
Manganese (Amino Acid Complex)	

### Inactive Ingredients (in alphabetical order)

Biotin, Calcium Carbonate, Calcium Pantothenate, Cobalt Glucoheptonate, Copper Amino Acid Complex, DL-Methionine, Dried Bacillus coagulans fermentation product, Dried Bacillus licheniformis fermentation product, Dried Bacillus subtilis fermentation product, Dried Enterococcus faecium fermentation product, Dried Lactobacillus acidophilus fermentation product, Dried Lactobacillus casei fermentation product, Dried Lactobacillus plantarum fermentation product, Dried Whey, Milled Flaxseed, Fructooligosaccharides, L-Lysine, Manganese Amino Acid Complex, Niacin, Pyridoxine Hydrochloride (B<sub>a</sub>), Riboflavin Supplement (B<sub>a</sub>), Saccharomyces Cerevisiae, Thiamine Hydrochloride (B<sub>a</sub>), Vitamin B<sub>2</sub> Supplement, Vitamin A Supplement, Vitamin D<sub>3</sub> Supplement, Vitamin E, Yeast Culture, Yeast Extract (Mannanoligosaccharides), Zinc Amino Acid Complex, Natural Flavorings

#### Cautions

Safe use in pregnant animals or animals intended for breeding has not been proven.

If lameness worsens, discontinue use and contact your veterinarian. Administer during or after the animal has eaten to reduce incidence of gastrointestinal upset.

Absorption of drugs taken simultaneously may be delayed (Fructooligosaccharides).

Use caution in animals at risk for GI Ulcerations Do not administer to pregnant mares. Contraindicated in gastric/duodenal ulcers; should not be used in conjunction with NSAIDs (Devil's Claw).

# Product Facts (continued)

Recommended to support healthy joint structure/function and to promote a calm disposition. Recommended to support healthy digestive function and healthy hooves.

#### **Directions for Use**

Provide to horses weighing 1,100 Lbs+ (500kg) at the rate of six (6) ounces (170 grams) per day. Serving size may be reduced proportionately, based on weight, for lighter breeds, ponies, etc. A smaller four (4) ounce serving (114 grams) may also be used in situations where reduced levels of support are required. Introduce the product gradually, starting with approximately one (1) ounce (28.4 grams) the first day (about 1/2 scoop). Gradually increase the daily usage rate over the following 7-14 days until the full daily serving is being provided.

Daily serving may be divided. For example, the full six ounce serving might be divided and provided in the morning and evening. The enclosed ½ cup scoop will hold approximately two (2) ounces (57 grams) when filled to the 1/2 cup line (approx. 1/4 inch below lip of scoop). Three (3) scoops-filled to the 1/2 cup line-will provide approximately six (6) ounces (170 grams).

#### ATTENTION:

Withdrawal may be required for horses used in competition. Always check with the appropriate governing/sanctioning body to insure that the use of all ingredients listed is allowable.

#### Warnings

For animal (Equine) use only. Keep out of reach of children. Keep out of reach of other animals/species. In case of accidental overdose, contact a health professional immediately. This product should not be given to animals intended for human consumption.

Questions?

Manufactured by
HorseTech, Inc.
Laurens, Iowa 50554

1-800-831-3309

www.horsetech.com

Contains a source of live, naturally occurring microorganisms.

Net Contents:

5 lbs. (2.27 kg)

Source of Glucosamine HCL, Chondroitin Sulfate, MSM, Devil's Claw, Collagen, Boswellia, Silica, Yucca, Vitamin C and Hyaluronic Acid



#### **Product Facts**

#### Active Ingredients (per six ounce/170g dose)

Glucosamine HCL (Shellfish Source)	8,000 mg
Methylsulfonylmethane (MSM) 10	0,000 mg
Vitamin C	2,500 mg
Chondroitin Sulfate (Porcine Source)	
Devil's Claw	
Hydrolyzed Collagen (Porcine Source)	1,000 mg
Boswellia Extract	1,000 mg
Yucca Extract	. 500 mg
Silica	. 500 mg
Hyaluronic Acid	. 100 mg
Manganese (Amino Acid Complex)	. 200 mg

### Inactive Ingredients (in alphabetical order)

Biotin, Calcium Carbonate, Calcium Pantothenate, Cobalt Glucoheptonate, Copper Amino Acid Complex, DL-Methionine, Dried Bacillus coagulans fermentation product, Dried Bacillus licheniformis fermentation product, Dried Bacillus subtilis fermentation product, Dried Enterococcus faecium fermentation product, Dried Lactobacillus acidophilus fermentation product, Dried Lactobacillus casei fermentation product, Dried Lactobacillus pantarum fermentation product, Dried Whey, Milled Flaxseed, Fructooligosaccharides, L-Lysine, Manganese Amino Acid Complex, Niacin, Pyridoxine Hydrochloride (B<sub>a</sub>), Riboflavin Supplement (B<sub>a</sub>), Saccharomyces Cerevisiae, Thiamine Hydrochloride (B<sub>a</sub>), Vitamin B<sub>2</sub> Supplement, Vitamin A Supplement, Vitamin D<sub>3</sub> Supplement, Vitamin F<sub>4</sub> Yeast Extract (Mannanoligosaccharides), Zinc Amino Acid Complex, Natural Flavorings

#### Cautions

Safe use in pregnant animals or animals intended for breeding has not been proven.

If lameness worsens, discontinue use and contact your veterinarian. Administer during or after the animal has eaten to reduce incidence of gastrointestinal upset.

Absorption of drugs taken simultaneously may be delayed (Fructooligosaccharides).

Use caution in animals at risk for GI Ulcerations Do not administer to pregnant mares. Contraindicated in gastric/duodenal ulcers; should not be used in conjunction with NSAIDs (Devil's Claw).

## Product Facts (continued)

Recommended to support healthy joint structure/function and to promote a calm disposition. Recommended to support healthy digestive function and healthy hooves.

#### **Directions for Use**

Provide to horses weighing 1,100 Lbs+ (500kg) at the rate of six (6) ounces (170 grams) per day. Serving size may be reduced proportionately, based on weight, for lighter breeds, ponies, etc. A smaller four (4) ounce serving (114 grams) may also be used in situations where reduced levels of support are required. Introduce the product gradually, starring with approximately one (1) ounce (28.4 grams) the first day (about 1/2 scoop). Gradually increase the daily usage rate over the following 7-14 days until the full daily serving is being provided.

Daily serving may be divided. For example, the full six ounce serving might be divided and provided in the morning and evening. The enclosed ½ cup scoop will hold approximately two (2) ounces (57 grams) when filled to the 1/2 cup line (approx. 1/4 inch below lip of scoop). Three (3) scoops-filled to the 1/2 cup line-will provide approximately six (6) ounces (170 grams).

#### ATTENTION:

Withdrawal may be required for horses used in competition. Always check with the appropriate governing/sanctioning body to insure that the use of all ingredients listed is allowable.

#### Warnings

For animal (Equine) use only. Keep out of reach of children. Keep out of reach of other animals/species. In case of accidental overdose, contact a health professional immediately. This product should not be given to animals intended for human consumption.

Questions?

Manufactured by HorseTech, Inc.

Laurens, Iowa 50554 1-800-831-3309

www.horsetech.com

Contains a source of live, naturally occurring microorganisms.

Net Contents: 12 lbs. (5.44 kg)



Source of Glucosamine HCL, Chondroitin Sulfate, MSM, Devil's Claw, Collagen, Boswellia, Silica, Yucca, Vitamin C and Hyaluronic Acid



#### **Product Facts**

#### Active Ingredients (per six ounce/170g dose)

Glucosamine HCL (Shellfish Source)	8,000 mg
Methylsulfonylmethane (MSM)	10,000 mg
Vitamin C	. 2,500 mg
Chondroitin Sulfate (Porcine Source)	2,000 mg
Devil's Claw	1,500 mg
Hydrolyzed Collagen (Porcine Source)	1,000 mg
Boswellia Extract	. 1,000 mg
Yucca Extract	500 mg
Silica	500 mg
Hyaluronic Acid	100 ma
Manganese (Amino Acid Complex)	

#### Inactive Ingredients (in alphabetical order)

Biotin, Calcium Carbonate, Calcium Pantothenate, Cobalt Glucoheptonate, Copper Amino Acid Complex, DL-Methionine, Dried Bacillus coagulans fermentation product, Dried Bacillus licheniformis fermentation product. Dried Bacillus subtilis fermentation product. Dried Enterococcus faecium fermentation product, Dried Lactobacillus acidophilus fermentation product, Dried Lactobacillus casei fermentation product, Dried Lactobacillus plantarum fermentation product, Dried Whey, Milled Flaxseed, Fructooligosaccharides, L-Lysine, Manganese Amino Acid Complex, Niacin, Pyridoxine Hydrochloride (B<sub>s</sub>), Riboflavin Supplement (B<sub>2</sub>), Saccharomyces Cerevisiae, Thiamine Hydrochloride (B<sub>1</sub>), Vitamin B<sub>12</sub> Supplement, Vitamin A Supplement, Vitamin D<sub>3</sub> Supplement, Vitamin E, Yeast Culture, Yeast Extract (Mannanoligosaccharides), Zinc Amino Acid Complex, Natural Flavorings

#### Cautions

Safe use in pregnant animals or animals intended for breeding has not been proven.

If lameness worsens, discontinue use and contact your veterinarian. Administer during or after the animal has eaten to reduce incidence of gastrointestinal upset. Absorption of drugs taken simultaneously may be delayed (Fructooligosaccharides).

Use caution in animals at risk for GI Ulcerations Do not administer to pregnant mares. Contraindicated in gastric/duodenal ulcers; should not be used in conjunction with NSAIDs (Devil's Claw).

## **Product Facts (continued)**

Recommended to support healthy joint structure/function and to promote a calm disposition. Recommended to support healthy digestive function and healthy hooves.

#### **Directions for Use**

Provide to horses weighing 1,100 Lbs+ (500kg) at the rate of six (6) ounces (170 grams) per day. Serving size may be reduced proportionately, based on weight, for lighter breeds, ponies, etc. A smaller four (4) ounce serving (114 grams) may also be used in situations where reduced levels of support are required. Introduce the product gradually, starting with approximately one (1) ounce (28.4 grams) the first day (about 1/2 scoop). Gradually increase the daily usage rate over the following 7-14 days until the full daily serving is being provided.

Daily serving may be divided. For example, the full six ounce serving might be divided and provided in the morning and evening. The enclosed 1/2 cup scoop will hold approximately two (2) ounces (57 grams) when filled to the 1/2 cup line (approx. 1/4 inch below lip of scoop). Three (3) scoops-filled to the 1/2 cup line-will provide approximately six (6) ounces (170 grams).

#### ATTENTION:

Withdrawal may be required for horses used in competition. Always check with the appropriate governing/sanctioning body to insure that the use of all ingredients listed is allowable.

#### Warnings

For animal (Equine) use only. Keep out of reach of children. Keep out of reach of other animals/species. In case of accidental overdose, contact a health professional immediately. This product should not be given to animals intended for human consumption.

*Ouestions?* 

Manufactured by HorseTech. Inc. Laurens, Iowa 50554

1-800-831-3309 www.horsetech.com

Contains a source of live, naturally occurring microorganisms.

Net Contents: 25 lbs. (11.34 kg)



Source of Glucosamine HCL, Chondroitin Sulfate, MSM, Devil's Claw, Collagen, Boswellia, Silica, Yucca, Vitamin C and Hyaluronic Acid



#### **Product Facts**

#### Active Ingredients (per six ounce/170g dose)

Glucosamine HCL (Shellfish Source)	8,000 mg
Methylsulfonylmethane (MSM)	10,000 mg
Vitamin C	. 2,500 mg
Chondroitin Sulfate (Porcine Source)	2,000 mg
Devil's Claw	1,500 mg
Hydrolyzed Collagen (Porcine Source)	1,000 mg
Boswellia Extract	. 1,000 mg
Yucca Extract	500 mg
Silica	500 mg
Hyaluronic Acid	100 ma
Manganese (Amino Acid Complex)	

### Inactive Ingredients (in alphabetical order)

Biotin, Calcium Carbonate, Calcium Pantothenate, Cobalt Glucoheptonate, Copper Amino Acid Complex, DL-Methionine, Dried Bacillus coagulans fermentation product, Dried Bacillus licheniformis fermentation product, Dried Bacillus subtilis fermentation product, Dried Enterococcus faecium fermentation product, Dried Lactobacillus acidophilus fermentation product, Dried Lactobacillus casei fermentation product, Dried Lactobacillus pantarum fermentation product, Dried Whey, Milled Flaxseed, Fructooligosaccharides, L-Lysine, Manganese Amino Acid Complex, Niacin, Pyridoxine Hydrochloride (B<sub>a</sub>), Riboflavin Supplement (B<sub>a</sub>), Saccharomyces Cerevisiae, Thiamine Hydrochloride (B<sub>a</sub>), Vitamin B<sub>2</sub> Supplement, Vitamin A Supplement, Vitamin D<sub>3</sub> Supplement, Vitamin F<sub>4</sub> Yeast Extract (Mannanoligosaccharides), Zinc Amino Acid Complex, Natural Flavorings

#### Cautions

Safe use in pregnant animals or animals intended for breeding has not been proven.

If lameness worsens, discontinue use and contact your veterinarian. Administer during or after the animal has eaten to reduce incidence of gastrointestinal upset.

Absorption of drugs taken simultaneously may be delayed (Fructooligosaccharides).

Use caution in animals at risk for GI Ulcerations Do not administer to pregnant mares. Contraindicated in gastric/duodenal ulcers; should not be used in conjunction with NSAIDs (Devil's Claw).

## Product Facts (continued)

Recommended to support healthy joint structure/function and to promote a calm disposition. Recommended to support healthy digestive function and healthy hooves.

#### **Directions for Use**

Provide to horses weighing 1,100 Lbs+ (500kg) at the rate of six (6) ounces (170 grams) per day. Serving size may be reduced proportionately, based on weight, for lighter breeds, ponies, etc. A smaller four (4) ounce serving (114 grams) may also be used in situations where reduced levels of support are required. Introduce the product gradually, starring with approximately one (1) ounce (28.4 grams) the first day (about 1/2 scoop). Gradually increase the daily usage rate over the following 7-14 days until the full daily serving is being provided.

Daily serving may be divided. For example, the full six ounce serving might be divided and provided in the morning and evening. The enclosed ½ cup scoop will hold approximately two (2) ounces (57 grams) when filled to the 1/2 cup line (approx. 1/4 inch below lip of scoop). Three (3) scoops-filled to the 1/2 cup line-will provide approximately six (6) ounces (170 grams).

#### ATTENTION:

Withdrawal may be required for horses used in competition. Always check with the appropriate governing/sanctioning body to insure that the use of all ingredients listed is allowable.

#### Warnings

For animal (Equine) use only. Keep out of reach of children. Keep out of reach of other animals/species. In case of accidental overdose, contact a health professional immediately. This product should not be given to animals intended for human consumption.

Questions?

Manufactured by
HorseTech, Inc.
Laurens, Iowa 50554

1-800-831-3309

www.horsetech.com

Contains a source of live, naturally occurring microorganisms.

Net Contents: 40 lbs. (18.14 kg)

Source of Glucosamine HCL, Chondroitin Sulfate, MSM, Devil's Claw, Collagen, Boswellia, Silica, Yucca, Vitamin C and Hyaluronic Acid



#### **Product Facts**

#### Active Ingredients (per six ounce/170g dose)

Glucosamine HCL (Shellfish Source)	8,000 mg
Methylsulfonylmethane (MSM)	10,000 mg
Vitamin C	2,500 mg
Chondroitin Sulfate (Porcine Source)	
Devil's Claw	. 1,500 mg
Hydrolyzed Collagen (Porcine Source)	. 1,000 mg
Boswellia Extract	
Yucca Extract	500 mg
Silica	500 mg
Hyaluronic Acid	100 ma
Manganese (Amino Acid Complex)	

### Inactive Ingredients (in alphabetical order)

Biotin, Calcium Carbonate, Calcium Pantothenate, Cobalt Glucoheptonate, Copper Amino Acid Complex, DL-Methionine, Dried Bacillus coagulans fermentation product, Dried Bacillus licheniformis fermentation product, Dried Bacillus subtilis fermentation product, Dried Enterococcus faecium fermentation product, Dried Lactobacillus acidophilus fermentation product, Dried Lactobacillus casei fermentation product, Dried Lactobacillus pantarum fermentation product, Dried Whey, Milled Flaxseed, Fructooligosaccharides, L-Lysine, Manganese Amino Acid Complex, Niacin, Pyridoxine Hydrochloride (B<sub>a</sub>), Riboflavin Supplement (B<sub>a</sub>), Saccharomyces Cerevisiae, Thiamine Hydrochloride (B<sub>a</sub>), Vitamin B<sub>2</sub> Supplement, Vitamin A Supplement, Vitamin D<sub>3</sub> Supplement, Vitamin F<sub>4</sub> Yeast Extract (Mannanoligosaccharides), Zinc Amino Acid Complex, Natural Flavorings

#### Cautions

Safe use in pregnant animals or animals intended for breeding has not been proven.

If lameness worsens, discontinue use and contact your veterinarian. Administer during or after the animal has eaten to reduce incidence of gastrointestinal upset.

Absorption of drugs taken simultaneously may be delayed (Fructooligosaccharides).

Use caution in animals at risk for GI Ulcerations Do not administer to pregnant mares. Contraindicated in gastric/duodenal ulcers; should not be used in conjunction with NSAIDs (Devil's Claw).

# Product Facts (continued)

Recommended to support healthy joint structure/function and to promote a calm disposition. Recommended to support healthy digestive function and healthy hooves.

#### **Directions for Use**

Provide to horses weighing 1,100 Lbs+ (500kg) at the rate of six (6) ounces (170 grams) per day. Serving size may be reduced proportionately, based on weight, for lighter breeds, ponies, etc. A smaller four (4) ounce serving (114 grams) may also be used in situations where reduced levels of support are required. Introduce the product gradually, starting with approximately one (1) ounce (28.4 grams) the first day (about 1/2 scoop). Gradually increase the daily usage rate over the following 7-14 days until the full daily serving is being provided.

Daily serving may be divided. For example, the full six ounce serving might be divided and provided in the morning and evening. The enclosed ½ cup scoop will hold approximately two (2) ounces (57 grams) when filled to the 1/2 cup line (approx. 1/4 inch below lip of scoop). Three (3) scoops-filled to the 1/2 cup line-will provide approximately six (6) ounces (170 grams).

#### ATTENTION:

Withdrawal may be required for horses used in competition. Always check with the appropriate governing/sanctioning body to insure that the use of all ingredients listed is allowable.

#### Warnings

For animal (Equine) use only. Keep out of reach of children. Keep out of reach of other animals/species. In case of accidental overdose, contact a health professional immediately. This product should not be given to animals intended for human consumption.

Questions?

Manufactured by
HorseTech, Inc.
Laurens, Iowa 50554

1-800-831-3309

www.horsetech.com

Contains a source of live, naturally occurring microorganisms.

Net Contents: 60 Kg (132.3 lbs)