Active Ingredients: (Per 2 oz. Serving)

Inactive Ingredients:

Milled Flaxseed, Natural & Artificial Flavoring, Yeast Culture

Cautions:

Safe use in pregnant animals or animals intended for breeding has not been proven.

If lameness worsens, discontinue use and contact your veterinarian.

Administer during or after the animal has eaten to reduce incidence of gastrointestinal upset.

Scoop: 48cc

Net Contents: 8 lbs. (3.63 kg)

EQUINE

TPISME

TIPISME

Source of Glucosamine HCL, Chondroitin Sulfate and Methylsulfonylmethane (MSM)

Manufactured by

HorseTech[®], Inc.

Laurens, IA 50554

1-800-831-3309 service@horsetech.com www.horsetech.com



Product Facts (continued)

For Equine use only. Recommended for use to support healthy joint and connective tissue structure and function.

Directions for Use:

Give orally to mature horses at the rate of two ounces (two level scoops) per day. Dosage may be reduced, proportionally (based on weight), for younger horses or lighter breeds.

Warnings:

For animal (equine) use only.

Keep out of reach of children and other animals. In case of accidental overdose, contact a health professional immediately.

This product should not be given to animals intended for human consumption.

PRIOR TO USE: For horses used in competition, please check with the appropriate governing or sanctioning body to ensure that the use of all ingredients listed is allowable.





Active Ingredients: (Per 2 oz. Serving)

Glucosamine HCL (shellfish source)	10,000 mg
Methylsulfonylmethane (MSM)	10,000 mg
Ascorbic Acid (Vitamin C)	. 4,500 mg
Chondroitin Sulfate (porcine source)	2,000 mg
Manganese (amino acid complex)	16.0 mg

Inactive Ingredients:

Milled Flaxseed, Natural & Artificial Flavoring, Yeast Culture

Cautions:

Safe use in pregnant animals or animals intended for breeding has not been proven.

If lameness worsens, discontinue use and contact your veterinarian.

Administer during or after the animal has eaten to reduce incidence of gastrointestinal upset.

Scoop: 48cc

Net Contents: 4 lbs. (1.81 kg)

EQUINE

TPISME

Source of Glucosamine HCL, Chondroitin Sulfate and Methylsulfonylmethane (MSM)

Manufactured by

HorseTech[®], Inc.

Laurens, IA 50554

1-800-831-3309 service@horsetech.com www.horsetech.com



Product Facts (continued)

For Equine use only. Recommended for use to support healthy joint and connective tissue structure and function.

Directions for Use:

Give orally to mature horses at the rate of two ounces (two level scoops) per day. Dosage may be reduced, proportionally (based on weight), for younger horses or lighter breeds.

Warnings:

For animal (equine) use only.

Keep out of reach of children and other animals. In case of accidental overdose, contact a health professional immediately.

This product should not be given to animals intended for human consumption.

PRIOR TO USE: For horses used in competition, please check with the appropriate governing or sanctioning body to ensure that the use of all ingredients listed is allowable.





Active Ingredients: (Per 2 oz. Serving)

Glucosamine HCL (shellfish source)	10,000	mg
Methylsulfonylmethane (MSM)	10,000	mg
Ascorbic Acid (Vitamin C)		
Chondroitin Sulfate (porcine source)	. 2,000	mg
Manganese (amino acid complex)	16.0	mg
-		_

Inactive Ingredients:

Milled Flaxseed, Natural & Artificial Flavoring, Yeast Culture

Cautions:

Safe use in pregnant animals or animals intended for breeding has not been proven.

If lameness worsens, discontinue use and contact your veterinarian.

Administer during or after the animal has eaten to reduce incidence of gastrointestinal upset.

Scoop: 48cc

Net Contents: 12 lbs. (5.44 kg)

EQUINE

TPISME

Source of Glucosamine HCL, Chondroitin Sulfate and Methylsulfonylmethane (MSM)

Manufactured by

HorseTech[®], Inc.

Laurens, IA 50554

1-800-831-3309 service@horsetech.com www.horsetech.com



Product Facts (continued)

For Equine use only. Recommended for use to support healthy joint and connective tissue structure and function.

Directions for Use:

Give orally to mature horses at the rate of two ounces (two level scoops) per day. Dosage may be reduced, proportionally (based on weight), for younger horses or lighter breeds.

Warnings:

For animal (equine) use only.

Keep out of reach of children and other animals. In case of accidental overdose, contact a health professional immediately.

This product should not be given to animals intended for human consumption.

PRIOR TO USE: For horses used in competition, please check with the appropriate governing or sanctioning body to ensure that the use of all ingredients listed is allowable.





Active Ingredients: (Per 2 oz. Serving)

Glucosamine HCL (shellfish source)	10,000 mg
Methylsulfonylmethane (MSM)	10,000 mg
Ascorbic Acid (Vitamin C)	. 4,500 mg
Chondroitin Sulfate (porcine source)	2,000 mg
Manganese (amino acid complex)	16.0 mg

Inactive Ingredients:

Milled Flaxseed, Natural & Artificial Flavoring, Yeast Culture

Cautions:

Safe use in pregnant animals or animals intended for breeding has not been proven.

If lameness worsens, discontinue use and contact your veterinarian.

Administer during or after the animal has eaten to reduce incidence of gastrointestinal upset.

Scoop: 48cc

Net Contents: 20 lbs. (9.08 kg)

EQUINE

TPISMOTT

Source of Glucosamine HCL, Chondroitin Sulfate and Methylsulfonylmethane (MSM)

Manufactured by

HorseTech®, Inc.

Laurens, IA 50554

1-800-831-3309 service@horsetech.com www.horsetech.com



Product Facts (continued)

For Equine use only. Recommended for use to support healthy joint and connective tissue structure and function.

Directions for Use:

Give orally to mature horses at the rate of two ounces (two level scoops) per day. Dosage may be reduced, proportionally (based on weight), for younger horses or lighter breeds.

Warnings:

For animal (equine) use only.

Keep out of reach of children and other animals. In case of accidental overdose, contact a health professional immediately.

This product should not be given to animals intended for human consumption.

PRIOR TO USE: For horses used in competition, please check with the appropriate governing or sanctioning body to ensure that the use of all ingredients listed is allowable.





Active Ingredients: (Per 2 oz. Serving)

Glucosamine HCL (shellfish source)	10,000	mg
Methylsulfonylmethane (MSM)	10,000	mg
Ascorbic Acid (Vitamin C)	4,500	mg
Chondroitin Sulfate (porcine source)	. 2,000	mg
Manganese (amino acid complex)	16.0	mg

Inactive Ingredients:

Milled Flaxseed, Natural & Artificial Flavoring, Yeast Culture

Cautions:

Safe use in pregnant animals or animals intended for breeding has not been proven.

If lameness worsens, discontinue use and contact your veterinarian.

Administer during or after the animal has eaten to reduce incidence of gastrointestinal upset.

Scoop: 48cc

Net Contents: 40 lbs. (18.14 kg)

EQUINE

TPISMOTT

Source of Glucosamine HCL, Chondroitin Sulfate and Methylsulfonylmethane (MSM)

Manufactured by

HorseTech[®], Inc.

Laurens, IA 50554

1-800-831-3309 service@horsetech.com www.horsetech.com



Product Facts (continued)

For Equine use only. Recommended for use to support healthy joint and connective tissue structure and function.

Directions for Use:

Give orally to mature horses at the rate of two ounces (two level scoops) per day. Dosage may be reduced, proportionally (based on weight), for younger horses or lighter breeds.

Warnings:

For animal (equine) use only.

Keep out of reach of children and other animals. In case of accidental overdose, contact a health professional immediately.

This product should not be given to animals intended for human consumption.

PRIOR TO USE: For horses used in competition, please check with the appropriate governing or sanctioning body to ensure that the use of all ingredients listed is allowable.





Active Ingredients: (Per 2 oz. Serving)

Inactive Ingredients:

Milled Flaxseed, Natural & Artificial Flavoring, Yeast Culture

Cautions:

Safe use in pregnant animals or animals intended for breeding has not been proven.

If lameness worsens, discontinue use and contact your veterinarian.

Administer during or after the animal has eaten to reduce incidence of gastrointestinal upset.

Scoop: 48cc



Manufactured by

HorseTech[®], Inc.

Laurens, IA 50554

1-800-831-3309 service@horsetech.com www.horsetech.com

Net Contents: 2 lbs. (0.91 kg)

Product Facts (continued)

For Equine use only. Recommended for use to support healthy joint and connective tissue structure and function.

Directions for Use:

Give orally to mature horses at the rate of two ounces (two level scoops) per day. Dosage may be reduced, proportionally (based on weight), for younger horses or lighter breeds.

Warnings:

For animal (equine) use only.

Keep out of reach of children and other animals. In case of accidental overdose, contact a health professional immediately.

This product should not be given to animals intended for human consumption.

PRIOR TO USE: For horses used in competition, please check with the appropriate governing or sanctioning body to ensure that the use of all ingredients listed is allowable.



